

REQUEST FOR QUOTATION

Date: _____

Customer: _____

Phone: _____

Address: _____

Contact: _____

Unit: _____

Phone: _____

Address: _____

Contact: _____

Response Req'd by: _____

SEPARATORS

1. Volume of Oil / 24 Hrs. _____ (Hrs. of Operation) _____
2. Volume of Gas / 24 Hrs. _____ (Hrs. of Operation) _____
3. Volume of Water / 24 Hrs. _____ (Hrs. of Operation) _____
4. Operating Temperature _____
5. Operating Pressure _____
6. Shut-in Well Pressure _____
7. 2 or 3 Phase _____
8. Vertical or Horizontal _____
9. Percentage of H₂S Conditions (if applicable) _____
10. API Gravity _____

STANDARD ITEMS INCLUDE:

- 1 Valve for 2-Phase Vessel
- 1 Level Control for 2-Phase Vessel
- Relief Valve
- Rupture Head with Disc
- Skid Mounted (Horizontal)
- 2 Level Controls for 3-Phase
- Mist Extractor S.S. Wire Mesh or Vane Type
- Manway
- A.S.M.E. Coded
- 2 Valves for 3-Phase

PLEASE CHECK SPECIAL APPLICATIONS NEEDED:

- [] Paraffin
- [] Hydrates
- [] Sand
- [] H₂S Condition
- [] Foam
- [] Filter (Solids or fine mists or fog)
- [] Thermo-Pak



P O BOX 582132 TULSA OK 74158
PHONE: (918) 835-1011 FAX: (918) 835-1058

REQUEST FOR QUOTATION

Customer:	_____	Date:	_____
Address:	_____	Phone:	_____
	_____	Contact:	_____
	_____		_____
Unit:	_____	Phone:	_____
Address:	_____	Contact:	_____
	_____		_____
	_____	Response Req'd by:	_____

VAPOR RECOVERY UNIT

1. Volume of Gas. _____
2. Discharge of Pressure _____
3. Sour Gas _____
4. GPM of Gas (Gallons of Liquid per Thousand Cubic Feet) in Gas _____

STANDARD ITEMS INCLUDE:

- Automatically Operated
- Inlet Scrubber
- Liquid Transfer System
- Compressor (Air or Water Cooled)
- Skid Mounted
- Control & Safety Devices
- Explosion -Proof