

**REQUEST FOR QUOTATION**

**Date:** \_\_\_\_\_

**Customer:** \_\_\_\_\_

**Phone:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Contact:** \_\_\_\_\_

**Unit:** \_\_\_\_\_

**Phone:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Contact:** \_\_\_\_\_

**Response Req'd by:** \_\_\_\_\_

**SEPARATORS**

1. Volume of Oil / 24 Hrs. \_\_\_\_\_ (Hrs. of Operation) \_\_\_\_\_
2. Volume of Gas / 24 Hrs. \_\_\_\_\_ (Hrs. of Operation) \_\_\_\_\_
3. Volume of Water / 24 Hrs. \_\_\_\_\_ (Hrs. of Operation) \_\_\_\_\_
4. Operating Temperature \_\_\_\_\_
5. Operating Pressure \_\_\_\_\_
6. Shut-in Well Pressure \_\_\_\_\_
7. 2 or 3 Phase \_\_\_\_\_
8. Vertical or Horizontal \_\_\_\_\_
9. Percentage of H<sub>2</sub>S Conditions (if applicable) \_\_\_\_\_
10. API Gravity \_\_\_\_\_

**STANDARD ITEMS INCLUDE:**

- 1 Valve for 2-Phase Vessel
- 1 Level Control for 2-Phase Vessel
- Relief Valve
- Rupture Head with Disc
- Skid Mounted (Horizontal)
- 2 Level Controls for 3-Phase
- Mist Extractor S.S. Wire Mesh or Vane Type
- Manway
- A.S.M.E. Coded
- 2 Valves for 3-Phase

**PLEASE CHECK SPECIAL APPLICATIONS NEEDED:**

- Paraffin
- Hydrates
- Sand
- H<sub>2</sub>S Condition
- Foam
- Filter (Solids or fine mists or fog)
- Thermo-Pak